#### **Technical data sheet**

#### Junction box T100, plug-in seal, elevated cover







Junction box for the connection of cables and lines indoors and in protected outdoor areas. Rectangular design with plug-in seals to the sides and knock-out entries in the bottom. Suitable for wall and ceiling mounting and on mounting panels. With the option to fasten inside and to mount via the corner domes. High, transparent cover with quick lock, sealable. Made from halogen-free and UV-resistant materials.

With hat profile rail.

Junction box according to DIN EN 60670. Flame-resistant to DIN EN 60695/2/11, test temperature 650  $^{\circ}$ C. Impact resistance IK07 according to DIN EN 50102. Clear internal dimensions: 136x102x74 mm





















Polypropylene / polycarbonate

#### Master data

Item number	2007712
Description 1	Junction box
Description 2	with raised cover
Manufacturer	OBO
Dimension	150x116x83
Colour	Light grey; RAL 7035
Material	Polypropylene / polycarbonate
Smallest sales unit	1
Unit of quantity	Piece
Weight	22.55 kg
Weight unit	kg/100 pc.
CO Footprint (GWP) Cradle-to- Gate	1,057 kg COe / 1 Piece

## **Technical data sheet**

## Junction box T100, plug-in seal, elevated cover



**Item number: 2007712** 

# 

Length	150 mm
Width	116 mm
Height	83 mm

#### Technical data

Expandable	yes	
No. of entries	10	
Type of insertion	Plug-in seal	
Type of entry	Cable	
Type of housing penetration	Miscellaneous	
Measured insulation voltage Vi	500 V	
Equipment	Without	
Cover	Not transparent	
Cover fastening	Screwed	
Entry from rear	yes	
Entries	10xM25	
Explosion-tested version	no	
Flame-resistant	acc. to VDE 0471/DIN 695 Part 2-1, test temperature 650°C	
Shape	Rectangular	
Maintain electrical functions	Without	
For Ex zone	Without	
For Ex zone gas	Without	
For Ex zone dust	Without	
Halogen-free	yes	
Clear internal dimensions	136x102x74 mm	
With screening	no	
with lid	yes	
Mounting type	Wall/ceiling mounting	
Nominal voltage	500 V	
Sealable	yes	
Protection rating	IP66	
Protection rating IK code	IK07.	
Permitted temperature range, max.	0°C	
Permitted temperature range, min.	-5 °C	

## **Technical data sheet**

Junction box T100, plug-in seal, elevated cover



**Item number: 2007712** 

Technical data		
	Weatherproof	no